

A nighttime photograph of a city skyline, likely Singapore, with numerous skyscrapers illuminated. In the foreground, a swimming pool with blue mosaic tiles is visible, reflecting the city lights. A large white circular graphic element is overlaid on the image, partially framing the pool and the city.

cdm 
stravitec

Making your world a quieter place

SWIMMING POOL ISOLATION SYSTEMS
REDUCING STRUCTURAL VIBRATION
FROM POOLS AND SPAS

Rooftop Pools & Spas

A Potential Noise Concern

Swimming pools and spas typically occurred in single-story commercial buildings, but today they are more common in high-rise residential buildings as space becomes increasingly scarce.

Podium pools present a number of design challenges compared to in-ground swimming pools. As the risk of installation errors is considerably higher, they require additional construction measures. One of those risks, is the transmission of structure-borne noise, associated with people diving and playing, as well as pool mechanical equipment, including massage jets, integrated waterfalls, and pumps. A specialist approach, incorporating an elastic suspension for the pool's structure, covering both bottom and walls of the pool shell, is required and offers several advantages.



Increased user comfort
in adjacent spaces



Added value to
hotels, commercial
& residential buildings



Efficient solutions for
all types of swimming pools
& support structures



Long-lasting &
durable solutions



MAIN DESIGN CONSIDERATIONS:

- Required level of isolation (and consequently the natural frequency of the solution to be used)
- Imposed loads (vertical, horizontal and variable loads)
- Maximum permissible creep to avoid problems with piping and floor levels and to ensure long-term performance
- Maximum permissible differential deflection (empty vs full swimming pool)
- Systems compatibility (thermal insulation, waterproofing, lining, drainage, lighting, skimmer, etc.)
- Adjacent technical areas (pump rooms, balancing tanks, and other mechanical equipment)

Pool Isolation Systems Selection Guide

Various Stravibase and Stravifloor solutions are well suited for the effective decoupling of swimming pools and spas. The selection of the right solution is based on the natural frequency and type of support structure available.

For more information on our Stravibase and Stravifloor solutions, please visit www.cdm-stravitec.com.

stravibase
by CDM Stravitec

stravifloor
by CDM Stravitec




5b

Stravibase Lateral

Discrete isolation solution for lateral decoupling.

Natural frequency:
Elastomeric pads: $\geq 6\text{Hz}$




5a

Stravibase Lateral

Low-profile roll-out isolation solution for lateral decoupling.

Natural frequency:
Elastomeric mats: $\geq 9\text{Hz}$



1

Stravifloor Deck*

Discrete solution available with either springs or elastomeric pads as resilient support.

Natural frequency:
Elastomeric pads: $\geq 6\text{Hz}$
Steel springs: $\geq 2.5\text{Hz}$

*Other Stravifloor systems may also be suitable for the acoustic decoupling of swimming pools and spas. The correct selection should always be made according to the project-specific requirements.



2

Stravifloor Mat

Low-profile roll-out isolation solution made of regenerated materials.

Natural frequency:
Elastomeric mats: $\geq 9\text{Hz}$



3

Stravibase SEB

Elastomeric bearings to accommodate high acoustic design loads.

Natural frequency:
Elastomeric pads: $\geq 6\text{Hz}$



4a

Stravibase VHS

Very high stress bearings designed to support large loads whilst being significantly smaller in plan dimensions than traditional elastomer bearings.

Natural frequency:
Elastomeric pads: $\geq 8\text{Hz}$



4b

Stravibase SpringBox

Pre-compressed spring bearings with high load capacity.

Natural frequency:
Steel springs: $\geq 2.5\text{Hz}$

References

At CDM Stravitec, we take pride in the quality of work that we produce. Since the founding of our company in 1951, we have made many contributions to the intelligent design and noise mitigation of swimming pools, spas, and the mechanical components with our engineered products. Take a look at some of our latest projects carried out with well-known brands and reputable acoustical consultants.




Grand Hyatt Hotel
Kuala Lumpur (MY)

Myriad by SANA Hotels
Lisbon (PT)



Address Sky View
Dubai (UAE)

Rothschild Tower
Tel Aviv (IL)



Rosewood Hotel
São Paulo (BR)



We have qualified engineers in noise and vibration based at different locations around the world – they are only a phone call away.

For general enquiries please contact our head office or visit our website.

Canada

100 Sunrise Avenue, Unit 202
Toronto, Ontario, M4A 1B3
T (905) 265-7401
info-ca@cdm-stravitec.com
www.cdm-stravitec.com

United States

342 N. Queen St., Warehouse D
Lancaster, PA 17603
T (888) 454-6236
info-us@cdm-stravitec.com
www.cdm-stravitec.com



Version 2022/1 - © 2022 CDM Stravitec n.v. All rights reserved.

DISCLAIMER

This information is accurate to the best of our knowledge at the time of issue. Information, data and recommendations provided are based on industry accepted testing and prior product usage. It is intended as descriptive of the general capabilities and performance of our products and does not endorse applicability for any particular project. We reserve the right to change products, performance, and data without notice. This document replaces all information supplied prior to the publication hereof.